

The background of the cover is a photograph of a large industrial diamond saw blade in motion, creating a significant amount of dust or water spray. The blade is circular with a segmented rim and is positioned in front of a building with horizontal siding. The entire image is overlaid with a blue and green color scheme and faint technical line drawings. The Premier Diamond Products logo is in the top left, and the product guide title is in the bottom left. The tagline is in the bottom right.

PREMIER

DIAMOND PRODUCTS

2022

PRODUCT GUIDE

& PRICE LIST

CUTTING EDGE TECHNOLOGY



1989

1996

1992

1992

2004

2021

Over 30 years of diamond heritage

Premier Diamond Products Ltd has been supplying the building and construction industry with quality diamond products for over 30 years, and remains a family-run company. As we have grown, so has our expertise and product range. In 2021, following an investment of over £1.2 million, we moved into new premises designed to enable us to provide an even better level of service to our customers.

The move quadrupled the size of our despatch area and increased our pallet locations to over 500, allowing us to offer a wider range of products, and streamline despatch. Our new premises also house a fully-equipped diamond core workshop, training room and external live training area.

An environmentally responsible supplier

Other major recent developments include investment in our environmental management systems to reduce our environmental footprint:

- by the end of 2022, 100% of PDP packaging will be recyclable
- cardboard packaging is now recycled in-house for use in outgoing packaging
- any waste taken off-site is individually sorted and disposed of through the correct channels
- motion-detecting LED lights installed throughout our offices and warehousing
- only low-energy electric split heat pump systems installed in our new unit for heating, cooling and ventilation systems, with no boiler
- all PDP vehicles switched to fully electric or plug-in hybrid

We are now certified to Environmental Management Standard ISO 14001:2015, giving customers the reassurance they are purchasing from an environmentally responsible supplier.

Attractive, fast-moving product range

During 2021 we have updated our Premier branding and product packaging. Along with updated product images and clearer product information, this is designed to ensure our products are more attractive and easily recognisable to customers.

New for 2022

P4-CM Dual purpose concrete and asphalt diamond blades (see page 13)

P3-CG Diamond cup grinders (see page 21)

P6-RING 370mm ring saw blade (see page 26)

P6-CNG Cut 'N' Grind diamond discs (see page 26)

Zirconium and ceramic flap discs (see pages 52-53)

Metal cutting and grinding abrasive discs (see pages 54-55)

Thank you for your valued custom.

The PDP Ltd Team

PERFORMANCE LEVELS

Premier Diamond Products uses a simple star rating system to identify the different performance levels of our products. These performance levels are colour coded and all diamond blades and cores have a corresponding colour label to help you identify the right product for your application and budget. All performance levels undergo the same rigorous levels of testing and safety procedures as part of the manufacturing process.

PREMIER 3 STAR



The Premier Entry-level range offers an excellent balance between economy and productivity. Users enjoy good cutting speed and life across a broad range of building materials, providing unbeatable value for money. PREMIER 3 STAR product identification labels are colour coded yellow.



The Premier Standard range of products from PDP is designed for more regular users still looking to balance price with performance. The Premier 4 star product range is well-known for offering a comprehensive range of efficient tools at extremely competitive prices. PREMIER 4 STAR product identification labels are colour coded grey.

PREMIER 4 STAR



PREMIER 5 STAR



The Premier Premium range includes some of our most popular and well-established products. High quality raw materials and knowledgeable product designs provide users of all levels with superior productivity across a wide variety of building and construction materials. The Premier 5 star product range offers a full selection of universal diamond blades, dry cores, wet cores and accessories. PREMIER 5 STAR product identification labels are colour coded blue.



The Premier Professional range offers dedicated product specifications which utilise high quality titanium coated diamonds and other raw materials, combined with world-leading design and production techniques to give maximum productivity, even in the toughest of applications. The Premier professional range has been developed for users who make product performance their number one priority. PREMIER 6 STAR product identification labels are colour coded orange.

PREMIER 6 STAR



BLADE TIPS

- Make certain the blade is suitable for the material before cutting
- Guide the blade straight into the material. Do not tilt or subject it to lateral stress or pressure
- Do not use unnecessary pressure, the weight of the machine is sufficient
- Carry out a slight pendulum movement (forwards, backwards)

DRY CORE TIPS

- Ideally, use a dedicated dry diamond core machine with variable speed control and a slipping clutch
- No hammer action
- Pilot drill the wall first with a 13mm masonry drill and use a guide rod to follow the pilot hole
- For harder materials and larger diameter cores use a slower RPM: for softer materials and smaller diameter cores use a faster RPM
- Clear debris from the hole at regular intervals to prevent the core from binding in the hole
- Do not force the core, let it do the work

WET CORE TIPS

- Use suitable wet drilling diamond drill motors and rig stands
- Ensure the rig stand is level and secure with zero movement
- Use sufficient supply of water to keep the segments cool
- When the core hits re-bar, relax the pressure and allow the core to drill at its own rate

RE-SHARPENING TIP

- If the cutting speed of a diamond product reduces, you can re-sharpen it by making several passes into a highly abrasive material, such as a 3-Newton concrete block or soft sandstone

VACUUM BRAZED TECHNOLOGY

Vacuum brazed technology was introduced to diamond tools only recently and its true potential is still to be reached. Vacuum brazing the diamonds to the working edge of the tool allows up to three quarters of the diamond to protrude from the bond, which is much higher than traditional bonding methods. This means that the diamond has greater surface clearance, improving the cutting efficiency and cooling. Unlike traditional metal bonded diamond products, where the partially worn diamonds fall away as the metal bonding wears, vacuum brazed tools retain their diamond crystals until they are totally worn.

P5-VBHS See page 32



P6-ATD / P6-ATDM14 See page 30



P5-ER See page 19




PRODUCT IDENTIFICATION & LABELLING

Clear identification and labelling of products is one of the main priorities at PDP.

Each product is assigned a unique specification reference based on the performance level and material suitability of the tool.

PRODUCT SPECIFICATION EXAMPLE:




MATERIAL & PRODUCT ABBREVIATION EXAMPLES

A	- Asphalt	FG	- Floor Grinder	TCG	- Turbo Cup Grinder
ATD	- Auto Tile Drill	HS	- Hole Saw	TS	- Terrasaur
B	- Building Materials	HCG	- Hilti Cup Grinder	VB	- Vacuum Brazed
C	- Concrete	HUSQ	- Husqvarna Grinding Shoe	WC	- Wet Core
CG	- Cup Grinder	LM	- Lasermax	4in1/5in1	- Multi Purpose
CM	- Construction Materials	M	- Mortar	MC	- Metal Cutting
CT	- Ceramic Tiles	MD	- Multi-Drill	MG	- Metal Grinding
DC	- Dry Core	MH	- Metal & Hard Materials	FDZ	- Flap Disc Zirconium
EC	- Evocut	PCD	- Polycrystalline Diamond	FDC	- Flap Disc Ceramic
ED	- Evodrill	PT	- Porcelain Tiles	HTC	- HTC Grinding Shoe
ER	- Evorake	TD	- Tile Drill	CNG	- Cut 'N' Grind

DIAMOND BLADE MARKINGS EXPLAINED



BONDED ABRASIVES & FLAP DISC MARKINGS EXPLAINED



BONDED ABRASIVE EXPIRY DATE EXPLAINED

EXAMPLE: In the image above, of a centre ring, it is marked V07 / 2021, which denotes that the disc is due to expire in the third quarter of 2021.

The annual quarters are marked as follows:

V01 = Quarter 1 (January to March)

V04 = Quarter 2 (April to June)

V07 = Quarter 3 (July to September)

V10 = Quarter 4 (October to December)

It is advised that discs are used prior to the date shown on the centre ring and must be discarded once this date has passed.



IMPORTANT

Failure to store abrasive products correctly will result in the deterioration of the product, thus reducing its shelf life and potentially rendering the product unsafe.

Always ensure that the product is stored in a dry, frost free environment and not exposed to dampness, directly to water, excessive heat or direct sunlight.

QUALITY, ENVIRONMENTAL AND SAFETY ASSURED

Premier Diamond Products Ltd has been certified ISO 9001:2015 since 2008, and ISO 14001:2015 since 2021, with a daily focus and annual audits to ensure we maintain the required criteria. Certification for ISO 45001 Occupational Health and Safety Management System is a realistic target for early 2022.

All our diamond products are manufactured in accordance with safety regulation EN13236, and our abrasive products with EN12413 and EN13743.

An increasing number of our manufacturing partners are members of OSA, the Organisation for the Safety of Abrasives, offering the additional quality assurance of a highly regulated industry body concerned with both quality and consistency of manufacturing.



DEALER SUPPORT

PDP support comes in many guises; ultimately we work closely with dealers to help provide the best possible service to end-user customers.

PRODUCT TRAINING

A crucial service which helps you sell with added confidence. Product training can be provided at your location, onsite with your customers or at PDP.



A comprehensive selection of images and product descriptions are available for you to use in your literature and on your website.

IMAGE LIBRARY



TAILOR-MADE LITERATURE

We'll discuss ideas and work with you to create great offers for your customers. In-house design means it's easy to include your logos and contact details to help produce eye catching leaflets, flyers and posters.



Our sales teams have a wealth of product knowledge gained from many years experience in the tool supply industry. Detailed product literature, together with a thirst to provide sound advice and on-site support, means we can be relied upon when needed.

TECHNICAL SUPPORT



PRODUCT VIDEOS

A range of product videos are available to be played in your showroom and on your website. Counter top or large floor standing media players can be provided to help promote sales and the correct use of our tools. Search YouTube for Premier Diamond Products.

YouTube



Promotions play a key role in enticing customers to start using our products. PDP run regular promotions which benefit dealer and end users alike. Of course, we are always keen to work with you to tailor a promotion for your company.

PROMOTIONS

PACKAGING

PDP place a big emphasis on providing quality product packaging which is eye catching and full of product information.



PDP stock profile suggestions identify the essential products for your showroom. Combining these popular products with our eye catching stands will give you a greater chance of increasing sales.

POINT OF SALE





P4-4in1



STANDARD PERFORMANCE



HARD MATERIALS



UNIVERSAL CONCRETE



UNIVERSAL STONE



BUILDING MATERIALS

Manufactured to EN13246



MULTI PURPOSE TURBO RIM

The P4-4in1 blade is a fast cutting turbo diamond blade complete with cooling holes that enables use across a wide range of construction and building materials such as Engineering brick, clay products, reinforced concrete, general purpose concrete products, York stone, concrete pavements, general facing bricks, hand-made bricks, concrete roof tiles & dense concrete blocks.

For a full list of materials this blade cuts please turn to the diamond blade application guide on page 68.

Part No.	Dimensions	List Price
DP16005	230 x 2.6 x 10 x 22.2mm (9")	£46.45
DP16010	300 x 3.0 x 10 x 20mm (12")	£87.60



P5-5in1



PREMIUM PERFORMANCE



FERROUS STEEL



HARD MATERIALS



UNIVERSAL CONCRETE



UNIVERSAL STONE



BUILDING MATERIALS

Manufactured to EN13246



MULTI PURPOSE TURBO RIM

The P5-5in1 blade is renowned for its extremely fast cutting and ability to cut a wide range of materials from steel sections and Indian stone to reinforced concrete and building materials. Diameters 230mm, 300mm and 350mm have a reinforced centre flange to increase strength when cutting harder materials, improving stability and providing straighter cuts. The P5-5in1 is the ideal choice for all levels of users and is equally at home on large construction sites as it is on smaller jobs.

For a full list of the materials this blade cuts please turn to the diamond blade application guide on page 68.

Part No.	Dimensions	List Price
DP16125	115 x 2.2 x 10 x 22.2mm (4 1/2")	£32.95
DP16130	125 x 2.2 x 10 x 22.2mm (5")	£35.30
DP16133	150 x 2.2 x 10 x 22.2mm (6")	£43.00
DP16135	230 x 2.6 x 10 x 22.2mm (9")	£69.35
DP16140	300 x 3.2 x 10 x 20mm (12")	£121.80
DP16143	350 x 3.2 x 10 x 20mm (14")	£137.25
DP16145	350 x 3.2 x 10 x 25.4mm (14")	£137.25

P3-B



ENTRY PERFORMANCE



BUILDING MATERIALS



UNIVERSAL CONCRETE

Manufactured to
EN13246



BUILDING MATERIALS & CONCRETE

The P3-B offers unrivalled performance when compared to other low cost blades. It can be used on all popular UK building materials such as concrete pavements, concrete slabs, concrete roof tiles, bricks & blocks. The P3-B is manufactured in-line with European safety standard EN13236, so can be used with confidence.

For a full list of materials this blade cuts please turn to the diamond blade application guide on page 68.

Part No.	Dimensions	List Price
DP15000	115 x 2.2 x 7 x 22.2mm (4 1/2")	£7.15
DP15005	125 x 2.2 x 7 x 22.2mm (5")	£8.95
DP15010	230 x 2.6 x 7 x 22.2mm (9")	£16.65
DP15015	300 x 2.8 x 9 x 20mm (12")	£31.65
DP15018	350 x 3.0 x 9 x 25.4mm (14")	£54.95
DP15019	350 x 3.0 x 9 x 20mm (14")	£54.95

P4-C



STANDARD PERFORMANCE



UNIVERSAL CONCRETE



BUILDING MATERIALS

Manufactured to
EN13246



CONCRETE & BUILDING MATERIALS

Developed with the utmost understanding of aggregates being used in the manufacture of British building materials, the P4-C is durable, fast cutting and long lasting. It can be used on all popular UK building materials and concrete products such as reinforced concrete, concrete pavements, concrete slabs, concrete roof tiles, bricks and blocks.

For a full list of materials this blade cuts please turn to the diamond blade application guide on page 68.

Part No.	Dimensions	List Price
DP15515	115 x 2.2 x 7 x 22.2mm (4 1/2")	£9.50
DP15520	125 x 2.2 x 7 x 22.2mm (5")	£10.80
DP15525	150 x 2.2 x 7 x 22.2mm (6")	£14.25
DP15530	180 x 2.2 x 7 x 22.2mm (7")	£19.75
DP15535	230 x 2.6 x 7 x 22.2mm (9")	£25.05
DP15540	300 x 2.8 x 9 x 20mm (12")	£54.30
DP15545	350 x 3.0 x 9 x 25.4mm (14")	£80.70
DP19050	25.4mm to 20mm (Reducing bush)	£7.15



For dust control tanks,
see page 66
for more details

P5-C12



UNIVERSAL
CONCRETE



BUILDING
MATERIALS



ABRASIVE
MATERIALS

Manufactured to
EN13246



CONCRETE & BUILDING MATERIALS

The P5-C12 provides good cutting speed through all types of concrete products, building materials and abrasive materials. The 12mm diamond segment is fully usable and ensures good life.

For a full list of materials this blade cuts please turn to the diamond blade application guide on page 68.

Part No.	Dimensions	List Price
DP16037	115 x 2.2 x 12 x 22.2mm (4 1/2")	£18.45
DP16040	125 x 2.2 x 12 x 22.2mm (5")	£20.30
DP16043	230 x 2.6 x 12 x 22.2mm (9")	£43.00
DP16046	300 x 2.8 x 12 x 20mm (12")	£80.70
DP16048	350 x 3.0 x 12 x 20mm (14")	£107.15
DP16049	350 x 3.0 x 12 x 25.4mm (14")	£107.15

P5-LMC



UNIVERSAL
CONCRETE



BUILDING
MATERIALS

Manufactured to
EN13246



CONCRETE & BUILDING MATERIALS



The P5-LMC is a premium laser welded concrete blade that offers great performance on all types of reinforced concrete, general concrete products and building materials.

For a full list of materials this blade cuts please turn to the diamond blade application guide on page 68.

Part No.	Dimensions	List Price
DP16300	115 x 2.2 x 12 x 22.2mm (4 1/2")	£30.25
DP16303	125 x 2.2 x 12 x 22.2mm (5")	£32.40
DP16306	230 x 2.6 x 12 x 22.2mm (9")	£58.30
DP16309	300 x 2.8 x 12 x 20mm (12")	£104.65
DP16312	350 x 3.2 x 12 x 25.4mm (14")	£124.75
DP16314	350 x 3.2 x 12 x 20mm (14")	£124.75
DP16315	400 x 3.2 x 12 x 25.4mm (16")	£166.95
DP16318	450 x 3.6 x 12 x 25.4mm (18")	£207.80

P6-ECC



PROFESSIONAL PERFORMANCE



UNIVERSAL
CONCRETE



HARD
MATERIALS



BUILDING
MATERIALS

Manufactured to
EN13246



CONCRETE & BUILDING MATERIALS HIGH PERFORMANCE



The **EVOCUT** is a professional grade laser welded blade that is designed to cut very hard reinforced concrete FAST. The arrow design segments, slanted keyhole design and cooling holes all combine to ensure incredibly fast cutting and low vibration. The **EVOCUT** blade offers everything you would expect from a pro blade, but overall performance is elevated to a totally new level. For a full list of the materials this blade cuts please turn to the diamond blade application guide on page 68 .

Part No.	Dimensions	List Price
DP16550	230 x 2.6 x 15 x 22.2mm (9")	£103.25
DP16553	300 x 2.8 x 15 x 20mm (12")	£181.45
DP16555	350 x 3.2 x 15 x 20mm (14")	£217.85
DP16556	350 x 3.2 x 15 x 25.4mm (14")	£217.85
DP16559	400 x 3.2 x 15 x 25.4mm (16")	£279.85
DP16562	450 x 3.6 x 15 x 25.4mm (18")	£342.25
DP16563	500 x 4.0 x 15 x 25.4mm (20")	£438.50
DP16565	600 x 4.5 x 15 x 25.4mm (24")	£552.85

P6-ECMH



PROFESSIONAL PERFORMANCE




FERROUS
STEEL



HARD
MATERIALS

Manufactured to
EN13246



STEEL & HARD MATERIALS HIGH PERFORMANCE



The P6-ECMH is an incredibly fast cutting professional blade designed to cut steel sections and very hard materials, such as Indian stone, granite, engineering bricks and heavily reinforced concrete.

For a full list of materials this blade cuts please turn to the diamond blade application guide on page 68.

Part No.	Dimensions	List Price
DP16661	230 x 2.6 x 7 x 22.2mm (9")	£103.25
DP16664	300 x 2.6 x 7 x 20mm (12")	£181.45
DP16667	350 x 2.8 x 7 x 25.4mm (14")	£217.75
DP19050	25.4mm to 20mm (Reducing bush)	£7.15



For dust control tanks,
see page 66
for more details

P4-CM



STANDARD PERFORMANCE



UNIVERSAL
CONCRETE



BUILDING
MATERIALS



ABRASIVE
MATERIALS



ASPHALT

Manufactured to
EN13246



CONSTRUCTION MATERIALS CONCRETE & ASPHALT COMBO

Concentrating on the requirements of civil, utility and groundworks contractors makes the P4-CM ideal for a wide range of applications and reinstatement work. Its three segment types complement each other, offering equally good performance across a wide range of material applications, from asphalt to reinforced concrete and other popular construction materials. The P4-CM is a very versatile blade, making it an ideal solution when materials change from job-to-job.

For a full list of the materials this blade cuts please turn to the diamond blade application guide on page 68.

Part No.	Dimensions	List Price
DP15570	300 x 3.0 x 12 x 20mm (12")	£109.00
DP15572	350 x 3.2 x 12 x 20mm (14")	£133.35
DP15573	350 x 3.2 x 12 x 25.4mm (14")	£133.35
DP15576	450 x 4.0 x 12 x 25.4mm (18")	£186.30

P5-CM



PREMIUM PERFORMANCE



UNIVERSAL
CONCRETE



ASPHALT



HARD
MATERIALS



UNIVERSAL
STONE



BUILDING
MATERIALS

Manufactured to
EN13246



CONSTRUCTION MATERIALS CONCRETE & ASPHALT COMBO

The P5-CM is a premium laser welded multi purpose diamond blade. It is ideally suited for utility contractors, civil engineers, landscape gardeners, roofing contractors, construction companies and general builders. The range of materials the P5-CM can be used to cut is endless and includes reinforced concrete, concrete, asphalt, asphalt over concrete, engineering brick, clay products, construction materials, block paving, bricks and blocks, roof tiles and building materials. Its versatility is possible due to a mix of three different segment types, all with high levels of diamond concentration and well-designed bonds to ensure they interact perfectly with one another.

For a full list of the materials this blade cuts please turn to the diamond blade application guide on page 68.

Part No.	Dimensions	List Price
DP16161	300 x 3.0 x 10 x 20mm (12")	£145.50
DP16162	350 x 3.2 x 10 x 25.4mm (14")	£179.15
DP16163	450 x 3.6 x 10 x 25.4mm (18")	£267.30
DP19050	25.4mm to 20mm (Reducing bush)	£7.15

P6-LMCM



UNIVERSAL
CONCRETE



ASPHALT



BUILDING
MATERIALS



ABRASIVE
MATERIALS

Manufactured to
EN13246



CONSTRUCTION MATERIALS CONCRETE & ASPHALT COMBO



The main priority of the P6-LMCM is to give exceptional productivity and the lowest cost per cut in concrete and asphalt. It can be used on the hardest of concrete through to building materials and asphalt without compromising cutting speed or blade life. Deep draft segments protect the steel core when cutting deeper into asphalt and abrasive materials.

For a full list of materials this blade cuts please turn to the diamond blade application guide on page 68.

Part No.	Dimensions	List Price
DP16580	300 x 2.8 x 12 x 20mm (12")	£181.45
DP16583	350 x 3.2 x 12 x 25.4mm (14")	£217.75
DP16586	400 x 3.2 x 12 x 25.4mm (16")	£279.85
DP16589	450 x 3.6 x 12 x 25.4mm (18")	£342.25
DP19050	25.4mm to 20mm (Reducing bush)	£7.15



P3-A



ENTRY PERFORMANCE



ASPHALT



ABRASIVE MATERIALS

Manufactured to
EN13246



ASPHALT & ABRASIVE MATERIALS WITH UNDERCUT PROTECTION

The P3-A asphalt blade strikes a good balance between cost and performance. PDP's field testing team were surprised this was an entry level priced blade! Drop segments on all sizes ensures protection against undercutting when sawing through asphalt and abrasive materials. For a full list of materials this blade cuts please turn to the diamond blade application guide on page 68.

Part No.	Dimensions	List Price
DP15050	300 x 2.8 x 10 x 20mm (12")	£81.00
DP15055	350 x 3.0 x 10 x 25.4mm (14")	£111.15
DP15058	400 x 3.0 x 10 x 25.4mm (16")	£166.75
DP15060	450 x 3.6 x 10 x 25.4mm (18")	£205.75
DP19050	25.4mm to 20mm (Reducing bush)	£7.15

P5-LMA



PREMIUM PERFORMANCE



ASPHALT



ABRASIVE MATERIALS

Manufactured to
EN13246



ASPHALT & ABRASIVE MATERIALS WITH UNDERCUT PROTECTION



The P5-LMA is a premium laser welded blade that offers great performance on asphalt and abrasive materials. Deep draft segments protect the steel core when cutting deeper into asphalt and abrasive materials. For a full list of materials this blade cuts please turn to the diamond blade application guide on page 68.

Part No.	Dimensions	List Price
DP16330	115 x 2.2 x 10 x 22.2mm (4 1/2")	£34.55
DP16333	125 x 2.2 x 10 x 22.2mm (5")	£36.85
DP16336	230 x 2.6 x 10 x 22.2mm (9")	£66.95
DP16339	300 x 2.8 x 10 x 20mm (12")	£125.80
DP16342	350 x 3.2 x 10 x 25.4mm (14")	£144.05
DP16345	450 x 3.6 x 10 x 25.4mm (18")	£237.05
DP19050	25.4mm to 20mm (Reducing bush)	£7.15



P3-M



ENTRY PERFORMANCE



MORTAR
RAKING

Manufactured to
EN13246



MORTAR RAKING AVAILABLE IN 4 WIDTHS

The P3-M mortar raking blade offers an economical solution in preparation for re-pointing brick and block work. Available in 4 segment widths

Part No.	Dimensions	List Price
DP15039	115 x 4.0 x 7 x 22.2mm (4 1/2")	£19.10
DP15040	115 x 6.0 x 7 x 22.2mm (4 1/2")	£19.10
DP15041	115 x 8.0 x 7 x 22.2mm (4 1/2")	£28.50
DP15042	115 x 10 x 7 x 22.2mm (4 1/2")	£30.55
DP15044	125 x 4.0 x 7 x 22.2mm (5")	£22.70
DP15045	125 x 6.0 x 7 x 22.2mm (5")	£22.70
DP15046	125 x 8.0 x 7 x 22.2mm (5")	£32.40
DP15047	125 x 10 x 7 x 22.2mm (5")	£38.45

P4-M



STANDARD PERFORMANCE



MORTAR
RAKING

Manufactured to
EN13246



MORTAR RAKING

The P4-M benefits from a higher diamond concentration to improve the all-round performance and lower the cost per metre cut.

Part No.	Dimensions	List Price
DP15550	115 x 6.0 x 7 x 22.2mm (4 1/2")	£41.80
DP15555	125 x 6.0 x 7 x 22.2mm (5")	£50.20

P5-M



MORTAR
RAKING

Manufactured to
EN13246



MORTAR RAKING WITH UNDERCUT PROTECTION

The P5-M mortar raking blade is 6mm wide and has wear inserts to prevent undercutting and increase blade life.

Part No.	Dimensions	List Price
DP16165	115 x 6.0 x 7 x 22.2mm (4 1/2")	£74.10
DP16170	125 x 6.0 x 7 x 22.2mm (5")	£88.35

P5-ER



MORTAR
RAKING

Manufactured to
EN13246



MORTAR RAKING FOR DELICATE APPLICATIONS



The **EVORAKE** is a premium mortar raking bit which benefits from high quality diamonds vacuum brazed to the cutting edge. It is the ideal tool to be used in conjunction with a PDP mortar raking blade because it's better suited and easier to use on intricate and delicate work, particularly vertical joints and natural stone jobs, where a blade is often awkward to use, and could cause damage to important brickwork or valuable stone.

Part No.	Dimensions	List Price
DP16350	4 x 25mm x M14	£27.30
DP16371	8 x 25mm x M14	£32.50
DP16374	8 x 100mm x M14	£65.25
DP16378	P5-ER Dust Extraction Plate	£151.20
DP16379	M14 Female to M14 Male Extension	£45.35
DP16380	5/8" Female to M14 Male Extension	£45.35



P3-CG



UNIVERSAL
CONCRETE



UNIVERSAL
STONE

Manufactured to
EN13246



CONCRETE CUP GRINDERS DOUBLE ROW

The P3-CG is an entry-level double row cup grinder that offers excellent value for money on small to medium grinding applications.

Part No.	Dimensions	List Price
DP15062	115 x 22.2mm	£43.20
DP15063	125 x 22.2mm	£51.85
DP15064	180 x 22.2mm	£105.85

P5-CG



UNIVERSAL
CONCRETE



UNIVERSAL
STONE

Manufactured to
EN13246



CONCRETE CUP GRINDERS DOUBLE ROW

The P5-CG cup grinder has a double row of segments for fast stock removal and good life. The 110mm grinder can be used on either the Makita PC1100 concrete planer or standard 115mm angle grinders.

Part No.	Dimensions	List Price
DP16220	100 x 15/22.2mm (4")	£84.75
DP16221	110 x 15/22.2mm	£94.40
DP16222	115 x 22.2mm (4½")	£96.55
DP16225	125 x 22.2mm (5")	£100.20
DP16230	180 x 22.2mm (7")	£187.50


P5-FG / P5-FG3



Manufactured to
EN13246

P5-FG

UNIVERSAL
CONCRETE



P5-FG3



CONCRETE FLOOR GRINDING PLATES

The P5-FG 250mm diameter plates are made for twin-header PRM floor grinders but have universally drilled plates to suit most machine types. Choose from 16 segments for high life or 8 segments for high stock removal.

Part No.	Dimensions	List Price
DP16250	250mm - 8 Segments (10")	£170.20
DP16260	250mm - 16 Segments (10")	£278.85

The P5-FG3 floor grinding plates are designed to fit the Refina PD series of floor grinding machines.

Part No.	Dimensions	List Price
DP16248	230mm 3-Hole - 8 Segments (9")	£170.20
DP16249	250mm 3-Hole - 16 Segments (10")	£278.85

P6-HUSQ / P6-HTC




Manufactured to
EN13246

P6-HUSQ



P6-HTC



CONCRETE FLOOR GRINDING SEGMENT SHOES

Replacement segment shoes for Husqvarna floor grinding plates.

Part No.	Description	List Price
DP16900	30 Grit - 2 Segment shoe	£68.05
DP16902	80 Grit - 2 Segment shoe	£68.05

Replacement segment shoes HTC floor grinding plates.

Part No.	Description	List Price
DP16942	60 Grit	£59.20

P5-VB



Manufactured to
EN13246

FERROUS
STEEL



NON-FERROUS



PLASTIC
PIPE



WOOD



CEMENT
FIBRE BOARD



SPECIAL APPLICATION - RESCUE VACUUM BRAZED MULTI PURPOSE

Commonly known as a Rescue Blade, the P5-VB is a vacuum brazed diamond blade that is suitable for cutting a wide range of materials such as wood, plastic, steel sections, sheet metal, aluminium, copper, rubber, cast iron, bricks, blocks, regular building materials and cement based fibre board. For a full list of the materials this blade cuts please turn to the diamond blade application guide on page 68.

Part No.	Dimensions	List Price
DP16270	115 x 1.4 x 22.2mm (4 1/2")	£36.95
DP16272	125 x 1.4 x 22.2mm (5")	£41.70
DP16275	160 x 1.4 x 20mm (6 1/2")	£53.35
DP16278	230 x 1.8 x 22.2mm (9")	£84.65
DP16280	300 x 2.0 x 20mm (12")	£136.10
DP16282	350 x 2.2 x 20mm (14")	£183.80

P5-PCD



CEMENT
FIBRE BOARD



LAMINATES



GRP



SPECIAL APPLICATION - FIBRE CEMENT BOARD POLYCRYSTALLINE DIAMOND



FIBREFAST is a saw blade with solid Polycrystalline Diamond (PCD) teeth that cuts through cement based fibre boards and many other difficult to cut composite panels and laminated products.

For a full list of the materials this blade cuts please turn to the diamond blade application guide on page 68.


Part No.	Dimensions	List Price
GT10650	150 x 2.0 x 1.4 x 20mm x 6T (4 1/2")	£133.15
GT10655	160 x 2.0 x 1.4 x 20mm x 6T (6 1/4")	£137.90
GT10660	184 x 2.4 x 1.8 x 30mm x 6T (7 1/4")	£145.60
GT10662	215 x 2.4 x 1.8 x 30mm x 8T (8 1/2")	£188.55
GT10665	230 x 2.4 x 1.8 x 30mm x 8T (9")	£195.15
GT10670	250 x 2.8 x 2.0 x 30mm x 8T (10")	£217.85
GT10675	300 x 2.8 x 2.0 x 30mm x 12T (11 7/8")	£297.75

P6-LBC



UNIVERSAL
CONCRETE

Manufactured to
EN13246



SPECIAL APPLICATION - LOOPING SYSTEMS CONCRETE - AVAILABLE IN 2 WIDTHS

PDP's Looping diamond blades are available in 350mm diameter with either 8mm or 10mm wide segments. They are primarily used on floor saw machines for cutting wide channels in concrete or asphalt when preparing for the installation of traffic detector loop management systems. This is a sub-surface method of identifying the presence and speed of a vehicle at traffic lights and security barriers etc.


Part No.	P6-LBC (CONCRETE)	List Price
DP16691	350 x 8.0 x 10 x 25.4mm (14")	£335.55
DP16692	350 x 10 x 10 x 25.4mm (14")	£410.00

P6-LBA



ASPHALT

Manufactured to
EN13246



SPECIAL APPLICATION - LOOPING SYSTEMS ASPHALT - AVAILABLE IN 2 WIDTHS

Part No.	P6-LBA (ASPHALT)	List Price
DP16695	350 x 8.0 x 10 x 25.4mm (14")	£368.05
DP16696	350 x 10 x 10 x 25.4mm (14")	£450.80

P6-RING



UNIVERSAL
CONCRETE



HARD
MATERIALS



UNIVERSAL
STONE



BUILDING
MATERIALS

Manufactured to
EN13246



SPECIAL APPLICATION - RING SAW HIGH PERFORMANCE

The P6-RING uses the same bond system as the P6-ECC EVOCUT, ensuring the same level of high performance and versatility.

Suitable for use on the Husqvarna K6500 – ring.

* drive wheel included

Part No.	Dimensions	List Price
DP16674	370 x 4.2 x 10mm	£287.20



* drive wheel

P6-CNG



UNIVERSAL
CONCRETE



HARD
MATERIALS



UNIVERSAL
STONE



BUILDING
MATERIALS



MARBLE

Manufactured to
EN13246

TOP



BOTTOM

SPECIAL APPLICATION - CUT 'N' GRIND MULTI PURPOSE

The P6-CNG Cut 'N' Grind is a triple application disc that cuts like a traditional diamond blade, grinds like a cup wheel and is ideal for flush cutting. Designed for use on angle grinders, it can be used for straight cutting, flush cutting, grinding, edge grinding and shaping a variety of building materials including concrete, stone, marble, tile and granite. With an M14 fitting for comfort and greater clearance, the disc fits directly onto the spindle of an angle grinder.

For a full list of the materials this disc cuts please turn to the diamond blade application guide on page 68.

Part No.	Dimensions	List Price
DP19110	115mm x M14	£38.70
DP19111	125mm x M14	£44.00
DP19112	230mm x M14	£65.35

P6-TS



PROFESSIONAL PERFORMANCE



TREE ROOTS
& SOIL



PLASTIC
PIPE



RAILWAY
SLEEPERS



SPECIAL APPLICATION - DEMOLITION CARBIDE CLUSTER SAW BLADES



The **TERRASUR** is a carbide cluster saw blade that tackles applications a chainsaw or diamond blade can't. It tears through a wide range of tough applications such as tree roots and soil, railway sleepers, groundwork, wooden boards, nails, screws, decking, fence panels, plastic, rubber, flat roofs, abrasive blocks and much more.

For a full list of the materials this blade cuts please turn to the blade application guide on page 68.

Part No.	Dimensions	List Price
DP16738	230 x 3.5 x 22.2mm (9")	£177.25
DP16740	300 x 3.8 x 20mm (12")	£229.80

P6-VBP



PROFESSIONAL PERFORMANCE



HARD EXTERIOR
PORCELAIN

Manufactured to
EN13246



SPECIAL APPLICATION - EXTERIOR PORCELAIN VACUUM BRAZED - HAND HELD MACHINES



PORCA-FAST is a professional vacuum brazed diamond blade, and was the UK's first dedicated blade for cutting exterior porcelain paving tiles.

PORCA-FAST's diamond finishing inserts provide relief for the cutting edge, allowing the blade to run smoother through the material, ensuring a faster, cleaner cut.

For a full list of the materials this blade cuts please turn to the diamond blade application guide on page 68.

Part No.	Dimensions	List Price
DP19103	230 x 2.8 x 22.2mm (9")	£74.00
DP19104	300 x 3.0 x 20mm (12")	£131.00

P5-PT



Manufactured to
EN13246

HARD INTERIOR
PORCELAIN



STONE TILES
GRANITE



SOFT TILES
CERAMIC



INTERIOR TILES MULTI PURPOSE - INCLUDING PORCELAIN

The P5-PT is a continuous rim blade which offers fast and efficient cutting through porcelain and other hard interior tiles. Sizes 180mm and above are for fixed tile saws and perform better when used wet.

For a full list of the materials this blade cuts please turn to the diamond blade application guide on page 68.

Part No.	Dimensions	List Price
DP16175	115 x 1.4 x 8 x 22.2mm (4 1/2")	£16.00
DP16180	125 x 1.4 x 8 x 22.2mm (5")	£18.65
DP16190	180 x 1.6 x 8 x 25.4mm (7")	£37.80
DP16195	200 x 1.7 x 8 x 25.4mm (8")	£40.20
DP16200	230 x 1.7 x 8 x 25.4mm (9")	£52.40
DP16205	250 x 1.7 x 8 x 25.4mm (10")	£68.35
DP16210	300 x 2.2 x 8 x 25.4mm (12")	£100.45
DP16215	350 x 2.4 x 8 x 25.4mm (14")	£140.20

P6-PT



Manufactured to
EN13246

HARD EXTERIOR
PORCELAIN



HARD INTERIOR
PORCELAIN



STONE TILES
GRANITE



SOFT TILES
CERAMIC



INTERIOR & EXTERIOR TILES MULTI PURPOSE - INCLUDING PORCELAIN

The P6-PT is a professional specification designed to cut effortlessly through porcelain and other hard tiles, including 20mm exterior paving. Sizes 150mm and above perform better when used wet.

DP16841 is suitable for use on hand held angle grinders.

DP16850 and DP16851 are produced with a conventional continuous rim and laser cut expansion slots for use on table and bridge saws.

Part No.	Dimensions	List Price
DP16820	115 x 1.4 x 10 x 22.2mm (4 1/2")	£28.75
DP16825	125 x 1.4 x 10 x 22.2mm (5")	£32.20
DP16827	150 x 1.6 x 10 x 25.4mm (6")	£43.50
DP16830	180 x 1.6 x 10 x 25.4mm (7")	£47.75
DP16835	200 x 1.7 x 10 x 25.4mm (8")	£51.40
DP16840	230 x 1.8 x 10 x 25.4mm (9")	£63.30
DP16841	230 x 1.8 x 10 x 22.2mm (10")	£64.80
DP16845	250 x 1.8 x 10 x 25.4mm (10")	£83.60
DP16850	300 x 2.2 x 8 x 25.4mm (12")	£119.00
DP16851	350 x 2.4 x 8 x 25.4mm (14")	£170.10



P4-TD



STANDARD PERFORMANCE



HARD INTERIOR
PORCELAIN



STONE TILES
GRANITE



SOFT TILES
CERAMIC

Manufactured to
EN13246



WATER COOLED TILE DRILLS MULTI PURPOSE - INCLUDING PORCELAIN

P4-TD tile drills are the ideal solution for drilling all types of interior tiles, including porcelain. For best results water must be used to prevent overheating.

Part No.	Dimensions	List Price
DP16852	5 x 30mm	£11.90
DP16854	6 x 30mm	£12.65
DP16856	7 x 30mm	£13.70
DP16858	8 x 30mm	£14.25
DP16860	10 x 30mm	£15.55
DP16862	12 x 30mm	£16.10
DP16862A	15 x 30mm	£17.00
DP16863	17 x 30mm	£19.75
DP16864	20 x 30mm	£23.20
DP16866	25 x 30mm	£27.00

P6-ATD



Manufactured to
EN13246

HARD EXTERIOR
PORCELAIN

HARD INTERIOR
PORCELAIN

STONE TILES
GRANITE

SOFT TILES
CERAMIC



WAX FILLED AUTO-COOL TILE DRILLS MULTI PURPOSE - INCLUDING PORCELAIN

Our range of auto-cool diamond tile drills are filled with a lubricating wax. During the drilling process the leading edge of the wax melts and auto-cools the diamonds, meaning there is no need to apply a secondary coolant, such as water. With hexagonal fitting for use in cordless and corded drills.

Part No.	Dimensions	List Price
DP19000	5 x 67mm	£28.10
DP19005	6 x 67mm	£29.15
DP19010	7 x 67mm	£30.15
DP19015	8 x 67mm	£30.65
DP19020	10 x 80mm	£31.20
DP19025	12 x 80mm	£32.20

P6-ATDM14



Manufactured to
EN13246

HARD EXTERIOR
PORCELAIN

HARD INTERIOR
PORCELAIN

STONE TILES
GRANITE

SOFT TILES
CERAMIC



WAX FILLED AUTO-COOL TILE DRILLS MULTI PURPOSE - INCLUDING PORCELAIN

The P6-ATDM14 is designed to fit directly onto the spindle of 115mm and 125mm angle grinders, giving this wax filled tile drill a significant speed and life advantage over drill mounted products.

Part No.	Dimensions	List Price
DP18071	6mm x M14	£34.00
DP18072	7mm x M14	£35.10
DP18073	8mm x M14	£35.65
DP18074	10mm x M14	£36.70
DP18077	15mm x M14	£39.40



P5-VBHS



Manufactured to
EN13246

HARD EXTERIOR
PORCELAIN

HARD INTERIOR
PORCELAIN

SOFT TILES
CERAMIC

UNIVERSAL
STONE

CEMENT
FIBRE BOARD

LAMINATES

PLASTIC
PIPE

WOOD

BUILDING
MATERIALS

CAST
IRON



VACUUM BRAZED DIAMOND HOLE SAWS MULTI PURPOSE - INCLUDING PORCELAIN

The P5-VBHS features a rim of high quality diamonds that are vacuum brazed to the leading edge.

The benefits this offers to the tradesman are faster drilling, increased durability and better suitability across a wider range of applications. They are ideal for all types of standard thickness wall and floor tiles, and can also be used to drill through deeper natural stone paving slabs, building materials, wood, plastics and composite materials, such as cement fibre board.

Part No.	Dimensions	List Price
DP16389	19 x 45mm	£24.20
DP16392	22 x 45mm	£24.20
DP16393	25 x 45mm	£27.30
DP16395	30 x 45mm	£33.05
DP16396	32 x 45mm	£34.55
DP16398	35 x 45mm	£38.35
DP16401	38 x 45mm	£41.45
DP16404	44 x 45mm	£47.40
DP16407	52 x 45mm	£56.60
DP16409	56 x 45mm	£60.35
DP16410	58 x 45mm	£62.95
DP16413	64 x 45mm	£69.35
DP16416	72 x 45mm	£78.00
DP16419	76 x 45mm	£82.20
DP16420	79 x 45mm	£85.30
DP16422	83 x 45mm	£88.25
DP16425	86 x 45mm	£92.75
DP16426	92 x 45mm	£104.00
DP16428	105 x 45mm	£113.70
DP16431	118 x 45mm	£127.65
DP16434	120 x 45mm	£129.60
DP16437	128 x 45mm	£135.85
DP16440	150 x 45mm	£161.55
DP16447	TCT Pilot Drill	£2.15

P5-MD



SOFT TILES
CERAMIC



STONE TILES
GRANITE



WOOD



BUILDING
MATERIALS



NON-FERROUS



PLASTIC
PIPE



LAMINATES



GT10580

TITANIUM MULTI DRILLS MULTI PURPOSE

These high quality multi-use titanium drills have been designed to offer rapid drilling through a variety of materials such as plastics, wood, tiles, bricks, blocks, aluminium, laminates, glass, iron and copper.

Not for use on porcelain.

GT10580 Set comprises: 5.5mm, 6mm, 7mm, 8mm, 10mm & 12mm drills.

Part No.	Dimensions	List Price
GT10510	5 x 65mm	£8.40
GT10515	5.5 x 65mm	£8.95
GT10520	6 x 65mm	£9.50
GT10530	7 x 65mm	£10.25
GT10535	8 x 65mm	£10.80
GT10540	10 x 65mm	£11.90
GT10545	12 x 65mm	£13.70
GT10580	6 Piece Set	£51.95

P5-HSS



FERROUS
STEEL



NON-FERROUS



WOOD



Plumbers Set

Electricians Set

BI-METAL HOLE SAW SETS MULTI PURPOSE

These heavy-duty variable pitch bi-metal hole saws are made using a top quality H.C.S body with M3 H.S.S teeth for fast, accurate drilling through a variety of materials such as mild steel, cast iron, brass, aluminium, wood and plastic.

The P5-HSS **Plumbers Set** comprises: 19mm, 22mm, 29mm, 38mm, 44mm and 57mm plus 3/8" Hex adaptor for sizes 14mm-30mm, 7/16" Hex adaptor for sizes 32mm-152mm and Arbor adaptor.

The P5-HSS **Electricians Set** comprises: 16mm, 20mm, 22mm, 33mm, 40mm and 51mm plus 3/8" Hex adaptor for sizes 14mm-30mm, 3/8" Hex adaptor for sizes 32mm-152mm and Arbor adaptor.

Part No.	Description	List Price
GT10010	Plumbers Set 6 Piece Set c/w accessories	£51.40
GT10015	Electricians Set 6 Piece Set c/w accessories	£51.40





P4-DC



BUILDING
MATERIALS



ABRASIVE
MATERIALS

Manufactured to
EN13246



DRY DIAMOND CORES BUILDING & ABRASIVE MATERIALS

The P4-DC dry diamond cores are suitable for all popular building materials such as general facing bricks, concrete blocks, breeze blocks, hand made bricks, building blocks and York stone. For a full list of the materials these cores can be used to drill please turn to the application guide on page 68.

Part No.	Dimensions	List Price
DC12719	22 x 300mm	£38.75
DC12719A	25 x 300mm	£39.30
DC12720	28 x 300mm	£40.60
DC12725	32 x 150mm	£41.80
DC12730	38 x 150mm	£43.00
DC12731	42 x 150mm	£44.15
DC12732	48 x 150mm	£49.00
DC12740	52 x 150mm	£49.00
DC12745	57 x 150mm	£52.50
DC12750	65 x 150mm	£56.70
DC12760	78 x 150mm	£65.65
DC12762	82 x 150mm	£72.80
DC12763	92 x 150mm	£75.15
DC12765	102 x 150mm	£78.30
DC12770	107 x 150mm	£80.70
DC12775	112 x 150mm	£86.50
DC12780	117 x 150mm	£86.50
DC12790	127 x 150mm	£94.40
DC12790A	132 x 150mm	£100.85
DC12790B	142 x 150mm	£104.45
DC12791	152 x 150mm	£108.10
DC12792	158 x 150mm	£133.15
DC12791A	162 x 150mm	£158.20
DC12792A	175 x 150mm	£179.60
DC12792AB	202 x 150mm	£204.65



For dust extraction
plates, see page 66
for more details

P5-EDDC



HARD
MATERIALS



UNIVERSAL
CONCRETE



UNIVERSAL
STONE



BUILDING
MATERIALS



ABRASIVE
MATERIALS

Manufactured to
EN13246



EXTRA LONG 400MM BARREL

Part No.	Dimensions	List Price
DC12700	28 x 400mm	£86.50
DC12701	32 x 400mm	£89.65
DC12702	38 x 400mm	£93.10
DC12703	42 x 400mm	£96.75
DC12704	48 x 400mm	£110.50
DC12705	52 x 400mm	£110.50
DC12706	65 x 400mm	£121.80
DC12707	78 x 400mm	£143.30
DC12710	102 x 400mm	£178.50
DC12711	107 x 400mm	£178.50
DC12712	117 x 400mm	£183.30
DC12713	127 x 400mm	£190.95
DC12714	152 x 400mm	£220.85
DC12715	158 x 400mm	£254.90
DC12716	162 x 400mm	£288.90

DRY DIAMOND CORES HARD & BUILDING MATERIALS



The **EVO-DRILL** is a high quality dry diamond core for use on hard materials such as concrete with hard aggregate, clay products, Indian sandstone and natural stones, regular building materials such as standard house bricks, concrete blocks, breeze blocks, handmade bricks, building blocks and York stone. **EVO-DRILLS** can be used on rotary **and** percussion action (not hammer action). The combination of the rotational function and subtle pulsing from the percussion mechanism means the **EVO-DRILL** will drill faster and work harder through a wider range of materials, when compared to other makes of diamond cores.

For a full list of the materials these cores can be used to drill please turn to the application guide on page 68.

STANDARD LENGTHS

Part No.	Dimensions	List Price
DC12645	22 x 300mm	£49.05
DC12647	25 x 300mm	£57.45
DC12650	28 x 300mm	£58.30
DC12651	32 x 150mm	£52.25
DC12652	38 x 150mm	£53.45
DC12653	42 x 150mm	£55.75
DC12654	48 x 150mm	£64.35
DC12655	52 x 150mm	£64.35
DC12655A	57 x 150mm	£68.90
DC12656	65 x 150mm	£70.85
DC12657	78 x 150mm	£76.45
DC12665	82 x 150mm	£78.00
DC12667	92 x 150mm	£88.55
DC12658	102 x 150mm	£96.75
DC12659	107 x 150mm	£105.85
DC12659A	112 x 150mm	£108.00
DC12660	117 x 150mm	£110.15
DC12661	127 x 150mm	£121.50
DC12661A	132 x 150mm	£124.95
DC12668	142 x 150mm	£134.80
DC12662	152 x 150mm	£141.70
DC12663	158 x 150mm	£156.15
DC12663A	162 x 150mm	£181.10
DC12664	175 x 150mm	£206.95
DC12666	202 x 150mm	£241.60

P5-EDDC



Manufactured to
EN13246



HARD
MATERIALS



UNIVERSAL
CONCRETE



UNIVERSAL
STONE



BUILDING
MATERIALS



ABRASIVE
MATERIALS



DC12875



DC12875A



For dust extraction
plates, see page 66
for more details

DRY DIAMOND CORE SETS HARD & BUILDING MATERIALS



The 5 piece P5-EDDC diamond core set comprises 5 popular high quality dry diamond core sizes and 7 accessories.

Cores: 42mm, 52mm, 65mm, 117mm and 127mm.

Accessories: Chuck and SDS adaptors, chuck and SDS extensions, A-taper pilot drill, guide rod and drift key.











The 3 piece P5-EDDC diamond core set comprises 3 popular high quality dry diamond core sizes and 5 accessories.

Cores: 38mm, 52mm and 117mm.










Accessories: Chuck and SDS adaptors, ½" female to ½" male 200mm extension, A-taper pilot drill, guide rod and drift key.

Part No.	Description	List Price
DC12875	5 Piece Set c/w accessories	£340.20
DC12875A	3 Piece Set c/w accessories	£259.20

DRY DIAMOND CORE ACCESSORIES

	Part No.	Description	List Price
	DC11000	3 Jaw chuck adaptor pack / guide rod	£11.65
	DC11001	3 Jaw chuck adaptor pack / drill bit	£12.40
	DC11021	SDS Plus adaptor pack / guide rod	£13.85
	DC11022	SDS Plus adaptor pack / drill bit	£14.40
	DC11010	3 Jaw chuck 250mm hex bar extension	£20.00
	DC11013	250mm 1/2" female to 1/2" male extension	£14.00
	DC11050	SDS Plus 250mm round bar extension	£20.00
	DC11020	3 Jaw chuck adaptor	£8.00
	DC11040	SDS Plus adaptor	£10.00
	DC11045	SDS Max adaptor - with hammer stop	£28.30

DRY DIAMOND CORE ACCESSORIES


	Part No.	Description	List Price
	DC11015	Hilti DD100 dry core chuck to 1/2" BSP male adaptor	£68.00
	DC11123A	1/2" BSP male to 1/2" BSP male A-taper adaptor	£38.75
	DC11061	1/2" female to hex adaptor	£24.40
	DC11062	1/2" female to SDS adaptor	£24.40
	DC11051	A-taper guide rod - 210mm long	£2.70
	DC11054	A-taper guide rod - 480mm long	£8.20
	DC11060	Ejector drift key	£1.30
	DC11052	10 x 200mm A-taper masonry pilot drill	£4.40
	DC11070	3 Jaw chuck 13 x 400mm masonry drill	£14.25
	DC11080	SDS Plus 13 x 460mm masonry drill	£16.20



P5-WC



UNIVERSAL
CONCRETE



1 1/4" UNC
female thread



1/2" BSP
male thread

1/2" BSP MALE / EXTRA LONG / 500mm

Dimensions	New Part No.	List Price (NEW)
16 x 500mm	DC11353	£81.45
18 x 500mm	DC11355	£85.65
20 x 500mm	DC11357	£88.55
22 x 500mm	DC11359	£94.30
24 x 500mm	DC11361	£96.40
25 x 500mm	DC11363	£104.75
26 x 500mm	DC11364	£105.30
28 x 500mm	DC11365	£115.45
30 x 500mm	DC11367	£117.85
32 x 500mm	DC11369	£127.65
35 x 500mm	DC11371	£142.80

WET DIAMOND CORES CONCRETE & REINFORCED CONCRETE

The P5-WC wet diamond cores are designed for drilling into concrete and reinforced concrete by using suitable diamond drill motors that run at appropriate speeds. The machine speed is mainly dependent on the core size and strength of the concrete. Ideally a drilling rig stand is recommended as this can be fixed down to ensure there is no movement in the set-up, however for smaller diameters it is possible to use some diamond motors hand held.

A constant flow of water of up to 2 litres per minute is advisable on most reinforced concrete applications so a direct mains water feed is thoroughly recommended. The P5-WC wet cores can also be used to drill most hard natural stones.

Notes: Shorter or longer lengths can be made to order.
10mm to 35mm cores are 10mm high crown design segments.
Sizes 38mm to 500mm are made using 10mm high segments.

RE-TIPPING

Wet cores can be re-tipped subject to the barrel being in acceptable condition.

RE-TIPPING PRICES


Retip Part No.	List Price (RETIP)
DC11603	£29.90
DC11606	£34.15
DC11609	£37.05
DC11612	£41.25
DC11614	£43.30
DC11615	£45.80
DC11615A	£45.90
DC11616	£49.90
DC11616A	£52.25
DC11617	£54.85
DC11619	£65.45



½" BSP MALE / STANDARD LENGTHS

RE-TIPPING PRICES

Dimensions	New Part No.	List Price (NEW)	Retip Part No.	List Price (RETIP)
10 x 200mm	DC11375	£46.65	DC11594	£19.00
12 x 200mm	DC11380	£51.20	DC11597	£20.85
14 x 200mm	DC11385	£53.55	DC11600	£23.20
16 x 300mm	DC11390	£60.20	DC11603	£29.90
18 x 300mm	DC11395	£64.35	DC11606	£34.15
20 x 300mm	DC11400	£67.40	DC11609	£37.05
22 x 300mm	DC11405	£74.40	DC11612	£41.25
24 x 300mm	DC11410	£76.45	DC11614	£43.30
25 x 300mm	DC11412	£82.30	DC11615	£45.80
26 x 300mm	DC11413	£83.05	DC11615A	£45.90
28 x 300mm	DC11415	£87.20	DC11616	£49.90
30 x 300mm	DC11417	£90.95	DC11616A	£52.25
32 x 300mm	DC11420	£96.40	DC11617	£54.85
35 x 300mm	DC11421	£111.75	DC11619	£65.45
38 x 400mm	DC11425	£75.60	DC11620	£29.15
40 x 400mm	DC11427	£77.10	DC11625	£29.15
42 x 400mm	DC11428	£77.75	DC11628	£29.15
48 x 400mm	DC11430	£87.50	DC11630	£38.90
52 x 400mm	DC11435	£94.30	DC11650	£38.90
57 x 400mm	DC11437	£111.65	DC11651	£38.90
62 x 400mm	DC11447	£111.65	DC11660	£48.60
67 x 400mm	DC11451	£123.10	DC11670	£58.30
72 x 400mm	DC11330	£139.95	DC11675	£58.30
77 x 400mm	DC11456	£139.95	DC11680	£68.05
82 x 400mm	DC11333	£142.35	DC11690	£68.05
92 x 400mm	DC11336	£153.10	DC11700	£77.75
102 x 400mm	DC11339	£154.55	DC11710	£77.75
107 x 400mm	DC11476	£183.90	DC11720	£87.50
112 x 400mm	DC11342	£187.60	DC11725	£87.50
117 X 400mm	DC11343	£200.35	DC11730	£97.20
122 x 400mm	DC11345	£205.75	DC11740	£97.20
127 x 400mm	DC11348	£209.50	DC11750	£97.20
132 x 400mm	DC11351	£209.95	DC11755	£97.20



1 1/4" UNC FEMALE / STANDARD LENGTHS

RE-TIPPING PRICES

Dimensions	New Part No.	List Price (NEW)	Retip Part No.	List Price (RETIP)
48 x 450mm	DC11431	£87.50	DC11630	£38.90
52 x 450mm	DC11440	£86.10	DC11650	£38.90
62 x 450mm	DC11445	£101.40	DC11660	£48.60
67 x 450mm	DC11450	£113.85	DC11670	£58.30
72 x 450mm	DC11452	£125.15	DC11675	£58.30
77 x 450mm	DC11455	£129.40	DC11680	£68.05
82 x 450mm	DC11460	£134.90	DC11690	£68.05
92 x 450mm	DC11465	£147.20	DC11700	£77.75
102 x 450mm	DC11470	£152.80	DC11710	£77.75
107 x 450mm	DC11475	£168.50	DC11720	£87.50
112 x 450mm	DC11480	£171.95	DC11725	£87.50
117 x 450mm	DC11483	£192.35	DC11730	£97.20
122 x 450mm	DC11485	£195.70	DC11740	£97.20
127 x 450mm	DC11490	£199.35	DC11750	£97.20
132 x 450mm	DC11492	£202.95	DC11755	£97.20
142 x 450mm	DC11493	£227.25	DC11757	£116.65
152 x 450mm	DC11495	£230.80	DC11760	£116.65
162 X 450mm	DC11500	£237.80	DC11770	£116.65
172 x 450mm	DC11502	£255.30	DC11775	£126.35
182 x 450mm	DC11505	£270.80	DC11780	£126.35
192 x 450mm	DC11507	£298.10	DC11785	£126.35
202 x 450mm	DC11510	£283.95	DC11790	£136.10
212 x 450mm	DC11515	£396.70	DC11800	£136.10
225 x 450mm	DC11520	£396.70	DC11810	£145.80
250 x 450mm	DC11525	£423.10	DC11820	£155.50
300 x 450mm	DC11530	£489.25	DC11830	£165.25
350 x 450mm	DC11535	£602.85	DC11840	£194.40
400 x 450mm	DC11540	£726.30	DC11850	£233.30
450 x 450mm	DC11545	£796.80	DC11860	£233.30
500 x 450mm	DC11550	£939.60	DC11870	£291.60

WET DIAMOND CORE ACCESSORIES

	Part No.	Description	List Price
	DC11123	1/2" BSP male to 1/2" BSP male adaptor	£38.75
	DC11125	1/2" BSP male to 1 1/4" UNC male adaptor	£38.75
	DC11126	1/2" BSP female to 1 1/4" UNC female adaptor	£38.75
	DC11124	Hilti DD100, 120, 130 and 150 wet core chuck to 1/2" BSP female adaptor	£44.30
	DC11122	Hilti DD100, 120, 130 and 150 to 1/2" BSP female & 1 1/4" UNC male adaptor	£116.85
	DC11127	300mm 1 1/4" UNC male to female extension	£76.45
	DC11128	300mm 1/2" BSP male to female extension	£76.45
	MC10990	M12 Fast bolt with nut	£61.45
	MC10995	M12 20 x 85mm Shield anchor	£3.90

WET DIAMOND CORE ACCESSORIES

Part No.	Description	List Price
----------	-------------	------------



MC10985	16 Litre Dust control tank	£90.00
---------	----------------------------	--------


MC10980	Water swivel to fit 3 jaw chuck	£170.55
---------	---------------------------------	---------

DIAMOND CORE WORKSHOP

PDP have made diamond cores in-house since 1992. This facility allows us to react quickly to requests for special diameters and barrel lengths or a mix of segment bonds for unusual applications.

Re-tipping Service

Our popular re-tipping service offers a 50% saving over buying new cores. Customers are provided with heavy-duty pallet boxes to store used cores, which PDP collect on request. Re-tipped cores are then returned as good as new.



Re-tipping Procedure

- 1 Cut back barrel
- 2 Castellate barrel to create notches for the new segments
- 3 Bead blast to purify, ready for brazing
- 4 Braze segments
- 5 Paint, finish and pack



P5-FED



WOOD



METAL

Manufactured to
EN13743



For dust control bags,
see page 67
for more details

FLOOR EDGING DISCS

180 x 22mm ALUMINIUM OXIDE - FIBRE BACKED

Suitable for use on floor edging sanders, including:
Hire Tech HT7 and Clarke Super 7R.

Part No.	Grit	Pack Qty	Price Per	List Price
AP10502	P24	50	Disc	£1.15
AP10504	P40	50	Disc	£1.15
AP10505	P60	50	Disc	£1.15
AP10506	P80	50	Disc	£1.15
AP10507	P120	50	Disc	£1.15
AP10509	N/A	50	Bag	£2.30



P5-FSS



WOOD

Manufactured to
EN13743



For dust control bags and bag
retaining rings, see page 67
for more details

FLOOR SANDING SHEETS

205 x 475mm SILICON CARBIDE - PAPER BACKED

Suitable for use on rotary drum sanders, including:
Hire Tech HT8 and Clarke EZ8

Part No.	Grit	Pack Qty	Price Per	List Price
AP10511	P24*	25	Sheet	£2.05
AP10512	P24	25	Sheet	£2.05
AP10514	P40	25	Sheet	£1.65
AP10515	P60	25	Sheet	£1.60
AP10516	P80	25	Sheet	£1.50
AP10517	P120	25	Sheet	£1.35
AP10519	N/A	50	Bag	£1.75
AP10519A	N/A	10	Ring	£1.45

* OPEN GRIT



P5-SB



WOOD



METAL



PLASTER



FILLER

Manufactured to
EN13743



SANDING BELTS

100 x 610mm ALUMINIUM OXIDE - CLOTH BACKED

Suitable for use on 100 x 610mm belt sanders, including:
Makita, Bosch, Ryobi and Hikoki machines.

Part No.	Grit	Pack Qty	Price Per	List Price
AP10531	P24	5	Belt	£1.60
AP10532	P40	10	Belt	£1.50
AP10534	P60	10	Belt	£1.50
AP10535	P80	10	Belt	£1.40
AP10536	P120	10	Belt	£1.40



P5-HSS



WOOD



METAL



PLASTER



FILLER

Manufactured to
EN13743



HALF SANDING SHEETS

115 x 280mm CLAMP FIXING ALUMINIUM OXIDE 14-HOLE (PUNCHED)

Suitable for use on clamp fixing orbital sanders, including:
Makita, Bosch, Dewalt, Milwaukee, Black & Decker, Festool and Metabo.

Part No.	Grit	Pack Qty	Price Per	List Price
AP10701	P40	10	Pack of 10	£4.30
AP10703	P80	10	Pack of 10	£4.30
AP10704	P120	10	Pack of 10	£4.30
AP10707	P240	10	Pack of 10	£4.30



P5-8SD



Manufactured to
EN13743



WOOD



METAL



PAINT



PLASTIC



ORBITAL SANDING DISCS 125mm 8-HOLE - HOOK & LOOP

Suitable for use on orbital sanders, including:

Makita, Bosch, Dewalt, Ryobi, Milwaukee, Black & Decker, Hikoki, Erbauer and Titan.

Part No.	Grit	Pack Qty	Price Per	List Price
AP10791	P40	10	Pack of 10	£4.30
AP10793	P80	10	Pack of 10	£4.30
AP10794	P120	10	Pack of 10	£4.30
AP10797	P240	10	Pack of 10	£4.30



P5-6SD



Manufactured to
EN13743



WOOD



METAL



PAINT



PLASTIC



ORBITAL SANDING DISCS 150mm 6-HOLE - HOOK & LOOP

Suitable for use on orbital sanders, including:

Makita, Bosch, Dewalt, Ryobi, Milwaukee, Black & Decker, Hikoki, Erbauer and Titan.

Part No.	Grit	Pack Qty	Price Per	List Price
AP10801	P40	10	Pack of 10	£5.80
AP10803	P80	10	Pack of 10	£5.80
AP10805	P120	10	Pack of 10	£5.80
AP10807	P240	10	Pack of 10	£5.80



P5-DW



DRYWALL
SANDING



JOINT
COMPOUND



WOOD



PLASTER




FILLER



PAINT

Manufactured to
EN13743



DRYWALL SANDING DISCS

225mm 8-HOLE ALUMINIUM OXIDE - HOOK & LOOP

Suitable for use on Giraffe type long reach sanders and hand held sanders, including: Flex, Scheppach, Vitrex, Festool, Evolution, Titan, Menzer and Fox.

Part No.	Grit	Pack Qty	Price Per	List Price
AP10901	P40	10	Pack of 10	£12.40
AP10903	P80	10	Pack of 10	£12.40
AP10904	P100	10	Pack of 10	£12.40
AP10905	P120	10	Pack of 10	£12.40
AP10906	P180	10	Pack of 10	£12.40
AP10908	P220	10	Pack of 10	£12.40



P5-DWP



DRYWALL
SANDING



JOINT
COMPOUND



WOOD



PLASTER




FILLER



PAINT

Manufactured to
EN13743



PERFORATED DRYWALL SANDING DISCS

225mm - HOOK & LOOP

Suitable for use on Giraffe type long reach sanders and hand held sanders, including: Flex, Scheppach, Vitrex, Festool, Evolution, Titan, Menzer and Fox.

Part No.	Grit	Pack Qty	Price Per	List Price
AP10911	P40	10	Pack of 10	£27.30
AP10913	P80	10	Pack of 10	£27.30
AP10914	P100	10	Pack of 10	£27.30
AP10915	P120	10	Pack of 10	£27.30
AP10916	P180	10	Pack of 10	£27.30
AP10917	P220	10	Pack of 10	£27.30





P5-FDZ



METAL



FERROUS
STEEL



STAINLESS
STEEL

Manufactured to
EN13743



ZIRCONIUM FLAP DISCS - CONICAL STAINLESS & FERROUS STEEL

Premium type 29, conical zirconium flap discs. The conical design provides greater surface to surface contact, giving optimal speed and stock removal. Suitable for use on stainless and mild steel.



CONICAL FLAP DISC TYPE 29 - ZIRCONIUM

- Conical flap discs have angled flaps to improve comfort of use on contoured and edge work
- The 10° angle of the flaps greatly increases the surface contact for improved stock removal on flat surfaces
- For an optimum performance of speed and stock removal, grind at angles between 15° and 25°

Part No.	Type	Specification	Dimensions	Pack Qty	Outer Carton Qty	Price Per	List Price
AP10191	T29	Z40	115 x 22.2mm	10	200	Disc	£2.60
AP10192	T29	Z60	115 x 22.2mm	10	200	Disc	£2.60
AP10193	T29	Z80	115 x 22.2mm	10	200	Disc	£2.60
AP10194	T29	Z120	115 x 22.2mm	10	200	Disc	£2.60

P5-FDZ



METAL



FERROUS
STEEL



STAINLESS
STEEL

Manufactured to
EN13743



ZIRCONIUM FLAP DISCS - CONICAL STAINLESS & FERROUS STEEL

Premium type 29, conical zirconium flap discs. The conical design provides greater surface to surface contact, giving optimal speed and stock removal. Suitable for use on stainless and mild steel.



CONICAL FLAP DISC TYPE 29 - ZIRCONIUM

- Conical flap discs have angled flaps to improve comfort of use on contoured and edge work
- The 10° angle of the flaps greatly increases the surface contact for improved stock removal on flat surfaces
- For an optimum performance of speed and stock removal, grind at angles between 15° and 25°

Part No.	Type	Specification	Dimensions	Pack Qty	Outer Carton Qty	Price Per	List Price
AP10196	T29	Z40	125 x 22.2mm	10	200	Disc	£3.25
AP10197	T29	Z60	125 x 22.2mm	10	200	Disc	£3.25
AP10198	T29	Z80	125 x 22.2mm	10	200	Disc	£3.25
AP10199	T29	Z120	125 x 22.2mm	10	200	Disc	£3.25

P6-FDC



METAL



FERROUS STEEL



STAINLESS STEEL

Manufactured to
EN13743



CERAMIC FLAP DISCS - CONICAL STAINLESS & FERROUS STEEL

Professional type 29, conical ceramic flap discs. The special, non-fused, ceramic aluminium oxide gives a noticeable increased life and superior performance when compared to that of a zirconium disc, and is suitable for use on stainless and mild steel, as well as other tensile alloys.



CONICAL FLAP DISC TYPE 29 - CERAMIC

- Conical flap discs have angled flaps to improve comfort of use on contoured and edge work
- The 10° angle of the flaps greatly increases the surface contact for improved stock removal on flat surfaces
- For an optimum performance of speed and stock removal, grind at angles between 15° and 25°

Part No.	Type	Specification	Dimensions	Pack Qty	Outer Carton Qty	Price Per	List Price
AP10231	T29	C40	115 x 22.2mm	10	200	Disc	£4.60
AP10232	T29	C60	115 x 22.2mm	10	200	Disc	£4.60
AP10233	T29	C80	115 x 22.2mm	10	200	Disc	£4.60
AP10234	T29	C120	115 x 22.2mm	10	200	Disc	£4.60

P6-FDC



METAL



FERROUS STEEL



STAINLESS STEEL

Manufactured to
EN13743



CERAMIC FLAP DISCS - CONICAL STAINLESS & FERROUS STEEL

Professional type 29, conical ceramic flap discs. The special, non-fused, ceramic aluminium oxide gives a noticeable increased life and superior performance when compared to that of a zirconium disc, and is suitable for use on stainless and mild steel, as well as other tensile alloys.



CONICAL FLAP DISC TYPE 29 - CERAMIC

- Conical flap discs have angled flaps to improve comfort of use on contoured and edge work
- The 10° angle of the flaps greatly increases the surface contact for improved stock removal on flat surfaces
- For an optimum performance of speed and stock removal, grind at angles between 15° and 25°

Part No.	Type	Specification	Dimensions	Pack Qty	Outer Carton Qty	Price Per	List Price
AP10236	T29	C40	125 x 22.2mm	10	200	Disc	£5.15
AP10237	T29	C60	125 x 22.2mm	10	200	Disc	£5.15
AP10238	T29	C80	125 x 22.2mm	10	200	Disc	£5.15
AP10239	T29	C120	125 x 22.2mm	10	200	Disc	£5.15

P5-INOX



PREMIUM PERFORMANCE



STAINLESS
STEEL



METAL



FERROUS
STEEL

Manufactured to
EN12413



SUPER THIN INOX CUTTING DISCS STAINLESS & FERROUS STEEL

Premium performance super-thin slitting discs designed for cutting both stainless and ferrous steel applications. The 115mm diameter is available in popular retail tins of 10 pieces or boxes of 50 pieces.



AP10055

Part No.	Type	Specification	Dimensions	Pack Qty	Outer Carton Qty	Price Per	List Price
AP10050	T41	A60TBF INOX	115 x 1.0 x 22.23mm	50	400	Disc	£1.10
AP10055	T41	A60TBF INOX	115 x 1.0 x 22.23mm	Tin of 10	100 or 400	Tin of 10	£12.00
AP10058	T41	A60TBF INOX	125 x 1.0 x 22.23mm	50	400	Disc	£1.20
AP10100	T41	A36SBF INOX	230 x 1.9 x 22.23mm	25	100	Disc	£2.65

P5-MC



PREMIUM PERFORMANCE



METAL



FERROUS
STEEL

Manufactured to
EN12413



FLAT CUTTING DISCS METAL & FERROUS STEEL

Premium flat metal cutting discs that provide an excellent cost / performance ratio across a broad range of ferrous steel applications.



AP30100



AP30085

Part No.	Type	Specification	Dimensions	Pack Qty	Outer Carton Qty	Price Per	List Price
AP30080	T41	A30QBF	115 x 2.5 x 22.2mm	25	200	Disc	£1.20
AP30085	T41	A30QBF	125 x 2.5 x 22.2mm	25	200	Disc	£1.25
AP30090	T41	A30QBF	230 x 3.0 x 22.2mm	25	100	Disc	£3.45
AP30095	T41	A30QBF	300 x 3.5 x 20mm	25	N/A	Disc	£3.90
AP30100	T41	A30QBF	350 x 3.0 x 25.4mm	10	30	Disc	£8.20

P6-MC



PROFESSIONAL PERFORMANCE



METAL



FERROUS
STEEL

Manufactured to
EN12413



FLAT CUTTING DISCS METAL & FERROUS STEEL

Professional flat metal cutting discs designed to provide the best performance on the toughest of ferrous steel applications.

Part No.	Type	Specification	Dimensions	Pack Qty	Outer Carton Qty	Price Per	List Price
AP10150	T41	A30QBF	300 x 4.0 x 20mm	10	30	Disc	£4.65

P5-MG



PREMIUM PERFORMANCE



METAL



FERROUS
STEEL



STAINLESS
STEEL

Manufactured to
EN12413



DEPRESSED CENTRE GRINDING DISCS STAINLESS & FERROUS STEEL

Premium depressed centre metal grinding discs for fast and aggressive stock removal of stainless and mild steel, and other ferrous metals.



AP30125

Part No.	Type	Specification	Dimensions	Pack Qty	Outer Carton Qty	Price Per	List Price
AP30125	T27	A24TBF	115 x 6.0 x 22.2mm	10	100	Disc	£1.95
AP30130	T27	A24TBF	125 x 6.0 x 22.2mm	10	100	Disc	£2.30
AP30135	T27	A24TBF	230 x 6.0 x 22.2mm	10	N/A	Disc	£6.85



PREMIER PRO TCT SAW BLADES are manufactured using high grade carbide teeth for long life, and precision hardened steel plates for maximum stability.

P5-PLUNGE



PREMIUM PERFORMANCE



WOOD



TCT BLADES FOR PLUNGE SAWS WOOD CUTTING

Part No.	Dimensions	List Price
GT11079	160 x 2.2 x 1.6 x 20mm x 24T	£29.05
GT11080	160 x 2.2 x 1.6 x 20mm x 48T	£35.85

P5-CORD



TCT BLADES FOR CORDED SAWS WOOD CUTTING - PORTABLE, TABLE & SITE SAWS

Part No.	Dimensions	List Price
GT10750	165 x 2.4 x 1.4 x 20mm x 40T	£20.30
GT10755	184 x 2.6 x 1.6 x 16mm x 40T	£22.15
GT10760	184 x 2.6 x 1.6 x 30mm x 24T*	£17.95
GT10765	184 x 2.6 x 1.6 x 30mm x 40T*	£22.15
GT10770	184 x 2.6 x 1.6 x 30mm x 60T*	£24.50
GT10775	190 x 2.6 x 1.6 x 30mm x 24T*	£18.45
GT10780	190 x 2.6 x 1.6 x 30mm x 40T*	£23.20
GT10785	210 x 2.6 x 1.6 x 30mm x 40T*	£25.05
GT10787	230 x 2.8 x 1.8 x 30mm x 24T*	£26.25
GT10790	235 x 2.8 x 1.8 x 30mm x 24T*	£26.90
GT10795	235 x 2.8 x 1.8 x 30mm x 40T*	£31.10
GT10800	250 x 2.8 x 1.8 x 30mm x 40T*	£37.70
GT10805	250 x 2.8 x 1.8 x 30mm x 60T*	£39.95
GT10810	300 x 3.0 x 2.0 x 30mm x 40T	£45.35
GT10815	300 x 3.0 x 2.0 x 30mm x 60T	£57.25
GT10820	315 x 3.0 x 2.0 x 30mm x 24T	£39.95

* c/w reducing bushes

P5-MITRE



TCT BLADES FOR MITRE SAWS WOOD CUTTING

Part No.	Dimensions	List Price
GT10840	190 x 2.6 x 1.6 x 30mm x 40T	£23.20
GT10845	190 x 2.6 x 1.6 x 30mm x 60T	£25.60
GT10850	215 x 2.6 x 1.6 x 30mm x 24T	£21.60
GT10855	215 x 2.6 x 1.6 x 30mm x 40T	£25.65
GT10860	215 x 2.6 x 1.6 x 30mm x 60T	£28.10
GT10865	250 x 2.8 x 1.8 x 30mm x 40T*	£35.85
GT10870	250 x 2.8 x 1.8 x 30mm x 60T*	£42.45
GT10875	250 x 2.8 x 1.8 x 30mm x 80T*	£44.30
GT10880	260 x 2.8 x 1.8 x 30mm x 60T	£44.30
GT10885	305 x 3.0 x 2.0 x 30mm x 60T	£53.80
GT10890	305 x 3.0 x 2.0 x 30mm x 80T	£56.15

* c/w reducing bushes

P5-TRIM



WOOD



TCT BLADES FOR CORDLESS TRIM SAWS WOOD CUTTING

Part No.	Dimensions	List Price
GT10700	136 x 1.6 x 1.0 x 10mm x 24T	£13.70
GT10705	136 x 1.6 x 1.0 x 20mm x 24T	£13.70
GT10710	165 x 1.6 x 1.0 x 20mm x 24T	£15.55
GT10711	165 x 1.6 x 1.0 x 15.87mm x 24T*	£15.55
GT10715	165 x 1.6 x 1.0 x 20mm x 40T	£19.00
GT10716	165 x 1.6 x 1.0 x 15.87mm x 40T*	£19.00
GT10720	165 x 1.6 x 1.0 x 20mm x 52T	£21.60

* suitable for Milwaukee M18 CCS55

P5-ALI



ALUMINIUM



TCT BLADES FOR ALUMINIUM & WORKTOP CUTTING

SUITABLE FOR A VARIETY OF MACHINE TYPES

Part No.	Dimensions	List Price
GT11013	160 x 2.4 x 1.6 x 20mm x 56T	£18.05
GT11015	190 x 2.4 x 1.6 x 30mm x 60T*	£26.90
GT11020	210 x 2.6 x 1.8 x 30mm x 60T*	£29.80
GT11025	215 x 2.6 x 1.8 x 30mm x 60T*	£31.65
GT11027	215 x 2.6 x 1.8 x 30mm x 80T*	£34.00
GT11030	250 x 2.8 x 2.0 x 30mm x 80T*	£53.80
GT11035	300 x 3.0 x 2.2 x 30mm x 100T*	£65.65

* c/w reducing bushes

P5-MULTI



FERROUS
STEEL



NON-FERROUS



WOOD



TCT MULTI PURPOSE BLADES SUITABLE FOR EVOLUTION RAGE SAWS

Part No.	Dimensions	List Price
GT11055	185 x 2.2 x 1.8 x 20mm x 20T	£31.75
GT11060	230 x 2.2 x 1.8 x 25.4mm x 26T	£66.20

P5-MULTI355



FERROUS
STEEL



NON-FERROUS



WOOD



TCT MULTI PURPOSE SAW BLADES SUITABLE FOR EVORAGE 2 SAWS & OTHER LOW REVVING CHOP SAWS

Part No.	Dimensions	List Price
GT11103	355 x 2.4 x 2.0 x 25.4mm x 36T	£96.10

P5-STEEL136/165



PREMIUM PERFORMANCE



FERROUS
STEEL



NON-FERROUS



TCT BLADES FOR STEEL

SUITABLE FOR HAND HELD STEEL CUTTING SAWS

Part No.	Dimensions	List Price
GT11040	136 x 1.5 x 1.2 x 20mm x 30T	£27.85
GT11042	165 x 1.5 x 1.2 x 20mm x 40T	£31.75

P5-STEEL305



PREMIUM PERFORMANCE



FERROUS
STEEL



TCT BLADES FOR STEEL

SUITABLE FOR MAKITA LC1230 SAW & OTHER LOW REVVING CHOP SAWS

Part No.	Dimensions	List Price
GT11090	305 x 2.2 x 1.8 x 25.4mm x 60T	£114.75

P5-STEEL355



FERROUS
STEEL



TCT BLADES FOR STEEL SUITABLE FOR EVOSAW355 & OTHER LOW REVVING CHOP SAWS

Part No.	Dimensions	List Price
GT11100	355 x 2.4 x 2.0 x 25.4mm x 66T	£131.75

P5-STAINLESS355



STAINLESS
STEEL



TCT BLADES FOR STAINLESS STEEL SUITABLE FOR EVOSAW355 & OTHER LOW REVVING CHOP SAWS

Part No.	Dimensions	List Price
GT11101	355 x 2.4 x 2.0 x 25.4mm x 90T	£140.40

Stainless steel cutting only: Grades 302, 303 and 304.



EIBENSTOCK
Elektrowerkzeuge

FEATURES:

- Electronic soft start, temperature control and over current cut-off
- Powerful 2-speed gearbox
- Mechanical safety clutch

EIBENSTOCK EHD2000/S DRY CORE DRILL - HAND HELD

The Eibenstock EHD2000/S is a powerful 2-speed drill designed and built with high performance and safety in mind. The application is for powering dry diamond cores cleanly and efficiently through internal and external walls by plumbers, gas fitters, electricians, heating and ventilating engineers, builders and fixing contractors.

Specifications.	EHD2000/S
Part No. 230v	MC13130
Part No. 110v	MC13131
Power	1700w
2-Speed Gearbox	Rated Speed 1000 / 2000rpm
No Load Speed	1500 / 3000rpm
Drilling Diameters	22mm to 162mm
Optimum Size	127mm
Spindle Connection	M18 Male
Vibration Level	2.9m/s
Noise Level	93dBA
Warranty	1-Year
Weight	5.5kg
Price	POA



Part No.	Description	List Price
MC13133	M18 - 3 Jaw Chuck	POA



FEATURES:

- Powerful 2200w motor, with high power reserves and a long life
- Electronic soft start, temperature control and over current cut-off, optical overload indication, constant speed
- Service LED - lights up approx. 10 working hours before the carbon brushes need to be replaced
- 3-speed oil bath gearbox - for optimal lubrication in all working positions, due to the developed oil pump
- Ergonomic handle with large switch for control and comfortable drilling
- Mechanical safety clutch
- Combination spindle with integrated connection for centering rod - fast, precise spot drilling
- PUR-construction site cable - strong, for heavy duty use
- Changing system - fast conversion between wet and dry applications
- Integrated spirit level on motor and handle
- Quick-mounting system - fixing of the machine including handle into the rig without any tools



EIBENSTOCK ETN162/3 WET / DRY CORE DRILL - HAND HELD & RIG MOUNTABLE

Powerful 3-speed hand held core drill designed for wet drilling cores up to 82mm in concrete and dry drilling cores up to 202mm in brick and block. The ETN162/3 can also be fitted to the BST182 drill rig stand allowing larger diameter wet cores up to 162mm to be used.

Specifications.	ETN162/3
Part No.	MC13241
Power	2200w
Rated Voltage	110v
Rated Speed	0-510rpm / 0-1150rpm / 0-2500rpm
Drilling Diameters	Concrete Wet: Gear 1, 82mm-162mm (with drilling rig) Gear 2, 42mm-82mm Gear 3, 17mm-42mm Brickwork Dry: Gear 1, 122mm-202mm Gear 2, 62mm-122mm Gear 3, 12mm-62mm
Spindle Connection	1/2" BSP Female + 1 1/4" Male
Collar Diameter	60mm
Vibration Level	2.9m/s
Noise Level	95dBA
Warranty	1-Year
Weight	6.7kg
Price	POA

EIBENSTOCK BST182 DRILL RIG STAND

Specifications.	BST182
Part No.	MC13243
Max. drilling Ø at 90°	202mm
Column length / material	995mm / Aluminium
Collar mounting (on request)	Ø 60mm
Max. inclination	45°
Anchor Base	Vacuum prepared
Weight	14kg
Price	POA
Supplied with	Assembly tools



EIBENSTOCK DB200 DRILL MOTOR & RIG STAND COMPLETE

Eibenstock strength, performance and efficiency at a very competitive price. Suitable for drilling into all concrete applications, including those with rebar. Maximum wet diamond core diameter of 200mm and dual spindle connection to accept either 1/2" BSP male or 1 1/4" UNC female wet diamond cores. Perfect for tool hire fleets or an outright purchase for regular users. Please note the DB200 base is anchor down only. Please see below for the optional MC13244A vacuum base.

Specifications.	DB200
Part No.	MC 13244
Power	2500w
Rated Voltage	110v
No-load speed	675rpm
Drilling Diameters	42mm to 200mm
Spindle Connection	1/2" BSP male & 1 1/4" UNC female
Column Length	790mm
Vibration Level	N/A
Noise Level	97dBA
Warranty	1-Year
Weight	15.5kg
Price	POA

FEATURES:

- Switch with over current cut off protection against overloading the motor
- Cut-off carbon brushes - protection of the motor
- 1-speed oil bath gearbox - optimal lubrication
- Mechanical safety clutch
- Integrated water supply
- Stainless steel combination spindle for connecting to 1/2" BSP male and 1 1/4" UNC female drill bits
- Handy, robust and economical
- Space saving, compact drilling unit - low weight

DRILL RIG ACCESSORIES



Part No.	Description	List Price
MC13307	Vacuum Pump	POA
MC13244A	Drill Rig Vacuum Base Suitable for DB200 rig stand	POA



EIBENSTOCK DBE352 DRILL MOTOR & RIG STAND COMPLETE

Extremely strong and powerful 3000 Watt drill motor and rig stand for drilling holes through the toughest of reinforced concrete applications using wet diamond core diameters 42mm to 352mm. The combination base can be anchored or vacuumed providing maximum flexibility depending on the application circumstances. Please see below for the optional MC13305A vacuum set.

Specifications.	DBE352
Part No.	MC13247
Power	3000w
Rated Voltage	110v
Rated Speed	230rpm / 500rpm / 1030rpm
Drilling Diameters	42mm to 352mm
Spindle Connection	1 1/4" UNC Male
Column Length	995mm
Vibration Level	N/A
Noise Level	100dBA
Warranty	1-Year
Weight of Drilling Unit	35kg
Price	POA

FEATURES:

- Powerful 3000w motor, with high power reserves and a long life
- Electronic soft start, temperature control and over current cut-off, optical overload indication, constant speed
- Service LED lights up approx. 10 working hours before the carbon brushes need to be replaced
- 3-speed oil bath gearbox - for optimal lubrication in all working positions, due to the developed oil pump
- Mechanical safety clutch
- PUR-construction site cable - strong, for heavy duty use
- Universal connection - fasten the motor to the drill rig without any tools
- Integrated spirit level on the carriage, scale and hole centre indicator on the drilling rig - exact drilling
- Column of the rig can be adjusted to 45°
- Compact combination base - fixing with anchor or vacuum (vacuum set necessary)
- Feed lever change without any tools - easy change of the working site
- Removable wheel axle - easy transport

DRILL RIG ACCESSORIES



Part No.	Description	List Price
MC13305A	Vacuum Set	POA
MC10990	M12 Fast Bolt and Nut	£61.45
MC10995	M12 Shield Anchor	£3.90

DUST CONTROL



DC11085



DC11086

DUST CONTROL TANK 16 LITRE

Whilst using a petrol disc cutter to cut concrete and other masonry materials, the dust created causes a multitude of problems, from a nuisance to passing members of the public to the far more serious issue of air borne dust that contains respirable crystalline silica (RCS) - This is a serious health hazard and is being closely monitored by the HSE, who have produced a leaflet titled 'dust control on cut off saws used for stone or concrete cutting' (construction sheet 54). PDP's dust control tank can help limit the RCS becoming air borne during cutting, reducing the risk of inhaling the RCS dust.


Part No.	Description	List Price
MC10985	16 Litre Dust Control Tank	£90.00
MC10986	*Service Kit	£34.00
MC10987	Replacement hose c/w fittings	£23.00
MC10984	Pressure Valve	£4.55
MC10987A	Replacement Hose Spring	£2.90
MC10987B	Replacement pump and handle assembly	£22.45

* Comprises: 1) Pump and handle. 2) Internal pick up hose and external hose connection. 3) Safety pressure release. 4) Carry strap.

DUST EXTRACTION PLATES FOR DRY DIAMOND CORES

Simple and efficient way of controlling airborne dust, whilst dry core drilling. Because the dust is drawn at source this method is more effective than costlier dust swivel accessories. Additionally, both slotted or dry cores can be used. Simply attach to the hose of any suitable dust extraction unit and place against the surface and allow the dust plate to gain suction. For best results use on flat surfaces.

Part No.	Description	List Price
DC11085	Small Dust Plate (28mm-92mm cores)	£51.30
DC11086	Large Dust Plate (102mm-162mm cores)	£64.80



P5-FEDB



DUST COLLECTION BAGS SUITABLE FOR FLOOR EDGING SANDERS

Floor edger dust bag to fit floor edging machines including:
Hiretech HT7 and HTF.

Part No.	Pack Qty	Price Per	List Price
AP10509	50	Bag	£2.30

P5-FSDB



DUST COLLECTION BAGS SUITABLE FOR FLOOR SANDING MACHINES

Floor sander dust bag to fit floor sanders including: Hiretech HT8.

*AP10519A Dust bag retaining ring for use with AP10519 (P5-FSDB)

Part No.	Pack Qty	Price Per	List Price
AP10519	50	Bag	£1.75
AP10519A*	10	Ring	£1.45



APPLICATION GUIDE

 IDEALLY SUITED

 OCCASIONAL USE

PRODUCT SPECIFICATION	PAGE	ALUMINIUM	ASPHALT	ASPHALT OVER CONCRETE	BRICKS - CLASS A ENGINEERING	BRICKS - CLASS B ENGINEERING	BRICKS - STANDARD FACING	FIBRE CEMENT BOARD & COMPOSITE CLADDING	CAST IRON	CLAY PRODUCTS	CONCRETE - BEAMS, KERBS, PIPES & SLABS	CONCRETE BLOCK PAVIOURS	CONCRETE - FLINT AGGREGATE	CONCRETE - GREEN	CONCRETE - HEAVILY REINFORCED	CONCRETE - LIGHTLY REINFORCED	CONCRETE - ROOF TILES	CONCRETE BLOCKS - LIGHTWEIGHT	CONCRETE BLOCKS - MEDIUM DENSITY 7 - 12 NEWTON	CONCRETE BLOCKS - HEAVY DUTY 12+ NEWTON	CEMENT SCREED
MULTI-PURPOSE DIAMOND BLADES																					
P4-4in1	10																				
P5-5in1	10																				
CONSTRUCTION MATERIALS / CONCRETE & BUILDING MATERIALS																					
P3-B	11																				
P4-C	11																				
P5-C12	12																				
P5-LMC	12																				
P6-ECC	13																				
STEEL & HARD MATERIALS																					
P6-ECMH	13																				
CONSTRUCTION MATERIALS / CONCRETE & ASPHALT COMBO																					
P4-CM	14																				
P5-CM	14																				
P6-LMCM	15																				
ASPHALT & ABRASIVE MATERIALS																					
P3-A	16																				
P5-LMA	16																				
MORTAR RAKING																					
P3-M	18																				
P4-M	18																				
P5-M	19																				
P5-ER	19																				
DIAMOND CUP & FLOOR GRINDERS																					
P3-CG	21																				
P5-CG	21																				
P5-TCG	22																				
P5-HCG	22																				
P5-FG / PF-FG3	23																				
P6-HUSQ / P6-HTC	23																				
SPECIAL APPLICATION PRODUCTS																					
P5-VB	24																				
P5-PCD	24																				
P6-LBC	25																				
P6-LBA	25																				
P6-RING	26																				
P6-CNG	26																				
P6-TS	27																				
TILE CUTTING & DRILLING																					
P6-VBP	27																				
P5-PT	28																				
P6-PT	28																				
P4-TD	29																				
P6-ATD / P6-ATDM14	30																				
P5-VBHS	32																				
P5-MD	33																				
P5-HSS	33																				
DRY CORE DRILLS																					
P4-DC	35																				
P5-EDDC	36																				
WET CORE DRILLS																					
P5-WC	40																				

www.premierdiamondproducts.co.uk

TERMS & CONDITIONS

Premier Diamond Products Ltd Terms & Conditions of sale apply to every product detailed in this Price List. A copy of the Terms and Conditions is available on request.

All goods remain the property of **Premier Diamond Products Ltd** until paid in full.

Standard Payment Terms - 30 days after the end of the month in which the goods were invoiced. (30 days EOM).

Shortages - In the event of goods being short-delivered, PDP require notification within 7 working days of the delivery date. After this period the delivery will be deemed complete.

Returns Policy - Products ordered in error are only accepted back providing they are in a saleable condition, and any return shipping cost is paid.

Specially made products will not be accepted back.

PDP have no minimum order charge.

Prices detailed in this Price List are correct at the time of going to print, but can change without prior notice. VAT is charged extra at the prevailing rate.

SHIPPING & CARRIAGE CHARGES

Service	Cost
Next day delivery on orders over £150.00 nett	Free
Next day delivery on orders below £150.00 nett	£9.25
Pre noon delivery on orders over £150.00 nett (Mon – Fri)	£6.50
Pre noon delivery on orders below £150.00 nett (Mon – Fri)	£15.75
Pre 10.30 delivery on orders over £150.00 nett (Mon – Fri)	£15.00
Pre 10.30 delivery on orders below £150.00 nett (Mon – Fri)	£24.25
Saturday delivery	£37.75
Direct deliveries	At the above rates
Same day delivery (Mainland UK)	POA
Northern Ireland on orders under £250.00 nett (2-day service)	£17.50
Ireland, Channel Isles, Europe & ROW	POA

PDP's cut-off point for same day dispatch is 4:00pm. Shipments are sent using web-based tracking services, allowing consignments to be tracked online.



Premier Diamond Products Limited

Unit 10 The Boulevard | Altira Park
Herne Bay | Kent CT6 6GZ | UK

T +44 (0) 1227 711 555

F +44 (0) 1227 710 540

E sales@premierdiamondproducts.co.uk